SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : 300V POWER 5W-30 Product code : 13607

1.2. Relevant identified uses of the substance or mixture and uses advised against

4-stroke engine lubricant

1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE Telephone : 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: . Email : motul_hse@motul.fr

1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation : ORFILA.

💫 🛛 Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336 Ireland : +353 1 8092566

24 hours a day, 7 days a week

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

2

Identification	(EC) 1272/2008	Note	%
CAS: 72623-87-1		L	25 <= x % < 50
EC: 276-738-4			
REACH: 01-2119474889-13			
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
EC: 832-827-5	GHS08		25 <= x % < 50
REACH: 01-2120836642-54	Dgr		
	Asp. Tox. 1, H304		
OCTADECENE, REACTION PRODUCTS			
WITH HEXADECENE, HYDROGENATED			
CAS: 72623-86-0	GHS08	L	1 <= x % < 2.5

EC: 276-737-9 Dgr REACH: 01-2119474878-16 Asp. Tox. 1, H304 LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED GHS08 L CAS: 64742-54-7 GHS08 L EC: 265-157-1 Dgr REACH: 01-2119484627-25 Asp. Tox. 1, H304 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Dgr CAS: 72623-87-1 GHS08 EC: 276-738-4 Dgr REACH: 01-2119474889-13 Asp. Tox. 1, H304 LUBRICATING OILS (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Dgr CAS: 72623-87-1 GHS08 EC: 276-738-4 Dgr REACH: 01-2119474889-13 Asp. Tox. 1, H304 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED Dgr CAS: 74869-22-0 EC: 278-012-2 REACH: 01-2119495601-36 MINERAL OIL MINERAL OIL GHS08 CC: 270-128-1 Wng REACH: 01-2119491299-23 Repr. 2, H361f BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH CHS08	NETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) 0V POWER 5W-30 - 13607		Version 2.1 (17-10-2022) - Page 2/8	
LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED GHS08 L 1 <= x % < 2.5 CAS: 64742-54-7 GHS08 L 1 <= x % < 2.5 C2 265-157-1 Dgr Asp. Tox. 1, H304 L 1 <= x % < 2.5 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC GHS08 L 1 <= x % < 2.5 CAS: 72623-87-1 GHS08 L 1 <= x % < 2.5 C: 276-738-4 Dgr Asp. Tox. 1, H304 L 1 <= x % < 2.5 LUBRICATING OILS (PETROLEUM), 		Dgr		
C15-30, HYDROTREATED NEUTRAL Image: Constraint of the symbol of the	REACH: 01-2119474878-16	Asp. Tox. 1, H304		
C15-30, HYDROTREATED NEUTRAL Image: Constraint of the symbol of the				
OIL-BASED CM CM CAS: 64742-54-7 GHS08 L 1 <= x % < 2.5				
CAS: 64742-54-7 GHS08 L 1 <= x % < 2.5				
EC: 265-157-1 Dgr REACH: 01-2119484627-25 Asp. Tox. 1, H304 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC CAS: 72623-87-1 GHS08 EC: 276-738-4 Dgr REACH: 01-2119474889-13 GHS08 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED L CAS: 74869-22-0 L EC: 278-012-2 REACH: 01-2119495601-36 MINERAL OIL GHS08 CAS: 68411-46-1 GHS08 EC: 270-128-1 GHS08 REACH: 01-2119491299-23 GHS08 BENZENAMINE, N-PHENYL-, GHS08 REACTION PRODUCTS WITH GHS08		GHS08	I	1 <= x % < 2 5
REACH: 01-2119484627-25 Asp. Tox. 1, H304 Image: Constraint of the sector of the sect			L	1 * X /0 * 2.0
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINICGHS08L1 <= x % < 2.5CAS: 72623-87-1GHS08DgrL1 <= x % < 2.5		5		
HYDROTREATED HEAVY PARAFFINIC GHS08 L 1 <= x % < 2.5 CAS: 72623-87-1 GHS08 Dgr L 1 <= x % < 2.5				
HYDROTREATED HEAVY PARAFFINIC GHS08 L 1 <= x % < 2.5 CAS: 72623-87-1 GHS08 Dgr L 1 <= x % < 2.5	DISTILLATES (PETROLEUM).			
EC: 276-738-4 REACH: 01-2119474889-13 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED CAS: 74869-22-0 EC: 278-012-2 REACH: 01-2119495601-36 MINERAL OIL CAS: 68411-46-1 EC: 270-128-1 REACH: 01-2119491299-23 BENZENAMINE, N-PHENYL-, REACH: 01-2119491299-23				
REACH: 01-2119474889-13Asp. Tox. 1, H304Image: Construction of the system of the	CAS: 72623-87-1	GHS08	L	1 <= x % < 2.5
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASEDImage: Constraint of the systemImage: Constraint of the systemCAS: 74869-22-0 EC: 278-012-2 REACH: 01-2119495601-36Image: Constraint of the systemImage: Constraint of the systemImage: Constraint of the systemMINERAL OIL CAS: 68411-46-1 EC: 270-128-1 REACH: 01-2119491299-23GHS08 Wng Repr. 2, H361fImage: Constraint of the systemImage: Constraint of the systemBENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITHGHS08 WithImage: Constraint of the systemImage: Constraint of the system	EC: 276-738-4	Dgr		
C20-50, HYDROTREATED NEUTRAL Image: Constraint of the system of the	REACH: 01-2119474889-13	Asp. Tox. 1, H304		
C20-50, HYDROTREATED NEUTRAL Image: Constraint of the system of the				
OIL-BASED Image: CAS: 74869-22-0 Image: L Image:	· · · · · · · · · · · · · · · · · · ·			
CAS: 74869-22-0 L 1 <= x % < 2.5				
EC: 278-012-2 REACH: 01-2119495601-36 Image: Constraint of the second seco				
REACH: 01-2119495601-36 MINERAL OIL Image: Case of the second secon			L	1 <= x % < 2.5
MINERAL OIL GHS08 [2] 0 <= x % < 1				
CAS: 68411-46-1 GHS08 [2] 0 <= x % < 1	REACH: 01-2119495601-36			
EC: 270-128-1 Wng REACH: 01-2119491299-23 Repr. 2, H361f BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH	MINERAL OIL			
EC: 270-128-1 Wng REACH: 01-2119491299-23 Repr. 2, H361f BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH	CAS: 68411-46-1	GHS08	[2]	0 <= x % < 1
BENZENAMINE, N-PHENYL-, REACTION PRODUCTS WITH	EC: 270-128-1	Wng		
REACTION PRODUCTS WITH	REACH: 01-2119491299-23	Repr. 2, H361f		
REACTION PRODUCTS WITH				
	2,4,4-TRIMETHYLPENTENE			

Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

In the event of splashes or contact with skin :

Immediately remove all soiled clothing. Wash immediately and abundantly with soap and water.

In the event of swallowing :

Seek medical attention, showing the label.

- **4.2. Most important symptoms and effects, both acute and delayed** No data available.
- **4.3. Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

- 5.1. Extinguishing media
- Suitable methods of extinction

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) 300V POWER 5W-30 - 13607

Dry agent, foam, carbon dioxide.

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Do not swallow

Do not get in eyes, on skin, or on clothing.

Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

7.2. Conditions for safe storage, including any incompatibilities

Store between $5^{\circ}C$ and $40^{\circ}C$ in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Glove	0.38 mm
thickness:	
Break-through	> 480 mn
time:	

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state :	Fluid liquid.	
Colour		
Color:	Amber	
Odour		
Ddour threshold :	Not stated.	
Melting point		
Nelting point/melting range :	Not relevant.	
Freezing point		
reezing point / Freezing range :	Not stated.	
Boiling point or initial boiling point and boiling range		
Boiling point/boiling range :	Not relevant.	
J Flammability		
Flammability (solid, gas) :	Not stated.	
Lower and upper explosion limit		
Explosive properties, lower explosivity limit (%) :	Not stated.	
Explosive properties, upper explosivity limit (%):	Not stated.	
Flash point		
Flash Point Interval :	FP > 100°C.	
Auto-ignition temperature		
Self-ignition temperature :	Not relevant.	
Decomposition temperature		
Decomposition point/decomposition range :	Not relevant.	
рН		
pH (aqueous solution) :	Not stated.	
pH :	Not relevant.	

Winematic viscosity

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH	H) Version 2.1 (17-10-2022) - Page 5
300V POWER 5W-30 - 13607	
Viscosity :	64.2 mm²/s à 40°C
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	< 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

10.5. Incompatible materials

Strong oxidants

Acids

10.6. Hazardous decomposition products

- The thermal decomposition may release/form :
- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity :

MINERAL OIL (CAS: 74869-22-0) Oral route :

Dermal route :

LD50 > 5000 mg/kg Species : Rat

Species : Rat

LD50 > 5000 mg/kg

Inhalation route (n/a) :

LC50 > 5 mg/l Species : Rat

11.1.2. Mixture

Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.

Serious damage to eyes/eye irritation :

Mild eye irritation

Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons." May cause lung damage if swallowed

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 140-88-5 : IARC Group 2B : The agent is possibly carcinogenic to humans. CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans. CAS 122-39-4 : IARC Group 2B : The agent is possibly carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

MINERAL OIL (CAS: 74869-22-0) Fish toxicity :

LC50 > 100 mg/l Species : Pimephales promelas Duration of exposure : 96 h

Crustacean toxicity :

EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

MINERAL OIL (CAS: 74869-22-0) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

 Biodegradability :
 no degradability data is available, the substance is considered as not degrading quickly.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Biodegradability : no degradability data is available, the substance

no degradability data is available, the substance is considered as not degrading quickly.

LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-86-0) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) 300V POWER 5W-30 - 13607

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

NECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

	H304	May be fatal if swallowed and enters airways.
	H361f	Suspected of damaging fertility.
2.		

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

 $\mathsf{EC50}$: The effective concentration of substance that causes 50% of the maximum response.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.